

# MQTT notes

- PubSub protocol
- <https://www.youtube.com/watch?v=J5FJn-y4buM>

Designed for constrained devices and low-bandwidth, high-latency, unreliable networks.

- Simple
- Light Weight
- Publish-Subscribe
- Reliable Delivery

## Key Concepts

- 01 Publish-Subscribe
- 02 Client & Server
- 03 Topic
- 04 QoS
- 05 Session

### QoS 0

 Sensor Reading

### QoS 1

 Status Update

### QoS 2

 Control Command


# Session



## Session in Client



## Session in Server



Client


Server

### STEP 1

Transport Protocol

### STEP 2

MQTT



MQTT Clients

MQTT Server

MQTT Clients



Let the topic convey the information

home / [bedroom](#) / [d2ef08](#) / light 

home / [study](#) / [9a311e](#) / light 

home / [livingroom](#) / [ce20fe](#) / light 

command / ... / light      status / ... / light      telemetry / ... / temperature

- EMQX ports

Type	Bind
ssl	0.0.0.0:8883
tcp	0.0.0.0:1883
ws	0.0.0.0:8083
wss	0.0.0.0:8084

- Mqtt template to write to Influxdb

```
{
  "devices/+/messages": {
    "measurement": "devices",
    "tags": {
      "client_id": "$client_id"
    },
    "fields": {
      "temperature": ["$payload", "temperature"],
      "humidity": ["$payload", "humidity"]
    },
    "timestamp": "$timestamp"
  }
}
```

- InfluxDB

## Data organization

The InfluxDB data model organizes time series data into buckets and measurements. A bucket can contain multiple measurements. Measurements contain multiple tags and fields.

- **Bucket:** Named location where time series data is stored. A bucket can contain multiple *measurements*.
- **Measurement:** Logical grouping for time series data. All *points* in a given measurement should have the same *tags*. A measurement contains multiple *tags* and *fields*.
  - **Tags:** Key-value pairs with values that differ, but do not change often. Tags are meant for storing metadata for each point—for example, something to identify the source of the data like host, location, station, etc.
  - **Fields:** Key-value pairs with values that change over time—for example: temperature, pressure, stock price, etc.
  - **Timestamp:** Timestamp associated with the data. When stored on disk and queried, all data is ordered by time.

**Fields aren't indexed:** Fields are required in InfluxDB data and are not indexed. Queries that filter field values must scan all field values to match query conditions. As a result, queries on tags > are more performant than queries on fields. **Store commonly queried metadata in tags.**

- Influxdb config

## Set up InfluxDB

The initial setup process for an InfluxDB instance creates the following:

- An organization with the name you provide.
- A primary bucket with the name you provide.
- An admin **authorization** with the following properties:
  - The username and password that you provide.
  - An API token (*operator token*).
  - Read-write permissions for all resources in the InfluxDB instance.

To run an interactive setup that prompts you for the required information, use the InfluxDB user interface (UI) or the `influx` command line interface (CLI).

To automate the setup—for example, with a script that you write— use the `influx` command line interface (CLI) or the InfluxDB `/api/v2` API.

From:  
<https://wiki.unloquer.org/> -

Permanent link:  
<https://wiki.unloquer.org/personas/brolin/mqtt?rev=1696782187>

Last update: **2023/10/08 16:23**

