

I2C OLED Display

- 0.96 Inch 4Pin Blue Yellow IIC I2C OLED Display
 - Es lo mismo, solo que parte la pantalla en dos colores
 - Usa librería SSD1306 → https://github.com/adafruit/Adafruit_SSD1306/
 - Driver chip → <https://cdn-shop.adafruit.com/datasheets/SSD1306.pdf>
- <https://www.instructables.com/id/Fun-With-OLED-Display-and-Arduino/>
- <https://learn.sparkfun.com/tutorials/i2c>
- <http://www.i2c-bus.org/>
- Processor nxp mlk16z128vlh4 → <https://www.nxp.com/part/MKL16Z128VLH4>
- Datasheet nxp mlk16z128vlh4 → <https://www.nxp.com/docs/en/data-sheet/KL16P64M48SF5.pdf>
- Pinout página 45 datasheet




Figure 22. KL16 64-pin LQFP pinout diagram


- Pines opcionados

7	5	5	PTE18	ADC0_DP2/ ADC0_SE2	ADC0_DP2/ ADC0_SE2	PTE18	SPI0_MOSI		I2C0_SDA	SPI0_MISO		
8	6	6	PTE19	ADC0_DM2/ ADC0_SE6a	ADC0_DM2/ ADC0_SE6a	PTE19	SPI0_MISO		I2C0_SCL	SPI0_MOSI		

- <https://blog.benjojo.co.uk/post/userspace-usb-drivers>


- <https://www.nxp.com/docs/en/supporting-information/Inter-Integrated-Circuit-Training.pdf>

1er intento mapear pines del I2C





Los puntos de alimentación se pueden reemplazar como se ven en la imagen



From:
<https://wiki.unloquer.org/> -

Permanent link:
<https://wiki.unloquer.org/personas/brolin/proyectos/oximeterhack?rev=1594348136>

Last update: **2020/07/10 02:28**

